

High Performance Air-Cooled Monoblock

 An exceptionally reliable range of air-cooled generators, incorporating automatic logging and storage of oil temperature, cooling performance and critical parameters.

```
<!--[if gte mso 9]><xml>
<o:OfficeDocumentSettings>
<o:AllowPNG />
<o:PixelsPerInch>96</o:PixelsPerInch>
</o:OfficeDocumentSettings>
</xml><![endif]--> <!--[if gte mso 9]><xml>
<w:WordDocument>
<w:View>Normal</w:View>
<w:Zoom>0</w:Zoom>
<w:TrackMoves />
<w:TrackFormatting />
<w:PunctuationKerning />
<w:ValidateAgainstSchemas />
<w:SaveIfXMLInvalid>>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF />
<w:LidThemeOther>EN-GB</w:LidThemeOther>
<w:LidThemeAsian>JA</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
<w:Compatibility>
<w:BreakWrappedTables />
<w:SnapToGridInCell />
<w:WrapTextWithPunct />
<w:UseAsianBreakRules />
<w:DontGrowAutofit />
<w:SplitPgBreakAndParaMark />
<w:EnableOpenTypeKerning />
<w:DontFlipMirrorIndents />
<w:OverrideTableStyleHps />
</w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math" />
<m:brkBin m:val="before" />
<m:brkBinSub m:val="&#45;" />
<m:smallFrac m:val="off" />
<m:dispDef />
<m:lMargin m:val="0" />
<m:rMargin m:val="0" />
<m:defJc m:val="centerGroup" />
```

```
<m:wrapIndent m:val="1440" />
<m:intLim m:val="subSup" />
<m:naryLim m:val="undOvr" />
</m:mathPr></w:WordDocument>
</xml><![endif]--><!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false"
DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="382">
<w:LsdException Locked="false" Priority="0" QFormat="true" Name="Normal" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 1" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 6" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 7" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 8" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 9" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 9" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 1" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
```

UnhideWhenUsed="true" Name="toc 2" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 3" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 4" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 5" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 6" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 7" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 8" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 9" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Normal Indent" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footnote text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="header" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footer" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index heading" />
<w:LsdException Locked="false" Priority="35" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="caption" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="table of figures" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="envelope address" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="envelope return" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footnote reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="line number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="page number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="endnote reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="endnote text" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="table of authorities" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="macro" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="toa heading" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 5" />
<w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Closing" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Signature" />
<w:LsdException Locked="false" Priority="1" SemiHidden="true"
UnhideWhenUsed="true" Name="Default Paragraph Font" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Body Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Body Text Indent" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Message Header" />
<w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Salutation" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Date" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Note Heading" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Block Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hyperlink" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="FollowedHyperlink" />
<w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong" />
<w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Document Map" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Plain Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="E-mail Signature" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Top of Form" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Bottom of Form" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Normal (Web)" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Acronym" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Address" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Cite" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Code" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Definition" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Keyboard" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Preformatted" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Sample" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Typewriter" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Variable" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Normal Table" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation subject" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="No List" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"

Name="Table Classic 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 6" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Contemporary" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Elegant" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Professional" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Subtle 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Subtle 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Balloon Text" />
<w:LsdException Locked="false" Priority="39" Name="Table Grid" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Theme" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 8" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 9" />
<w:LsdException Locked="false" SemiHidden="true" Name="Placeholder Text" />
<w:LsdException Locked="false" Priority="1" QFormat="true" Name="No Spacing" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading" />
<w:LsdException Locked="false" Priority="61" Name="Light List" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3" />
<w:LsdException Locked="false" Priority="70" Name="Dark List" />
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 1" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 1" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 1" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 1" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 1" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 1" />
<w:LsdException Locked="false" SemiHidden="true" Name="Revision" />
<w:LsdException Locked="false" Priority="34" QFormat="true"
Name="List Paragraph" />
<w:LsdException Locked="false" Priority="29" QFormat="true" Name="Quote" />
<w:LsdException Locked="false" Priority="30" QFormat="true"
Name="Intense Quote" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 1" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 1" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 1" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 1" />
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 1" />
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 1" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 1" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 1" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 2" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 2" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 2" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 2" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 2" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 2" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 2" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 2" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 2" />

<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 6" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 6" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 6" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 6" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 6" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 6" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 6" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 6" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 6" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 6" />
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 6" />
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 6" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 6" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 6" />
<w:LsdException Locked="false" Priority="19" QFormat="true"
Name="Subtle Emphasis" />
<w:LsdException Locked="false" Priority="21" QFormat="true"
Name="Intense Emphasis" />
<w:LsdException Locked="false" Priority="31" QFormat="true"
Name="Subtle Reference" />
<w:LsdException Locked="false" Priority="32" QFormat="true"
Name="Intense Reference" />
<w:LsdException Locked="false" Priority="33" QFormat="true" Name="Book Title" />
<w:LsdException Locked="false" Priority="37" SemiHidden="true"
UnhideWhenUsed="true" Name="Bibliography" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />
<w:LsdException Locked="false" Priority="41" Name="Plain Table 1" />
<w:LsdException Locked="false" Priority="42" Name="Plain Table 2" />
<w:LsdException Locked="false" Priority="43" Name="Plain Table 3" />
<w:LsdException Locked="false" Priority="44" Name="Plain Table 4" />
<w:LsdException Locked="false" Priority="45" Name="Plain Table 5" />
<w:LsdException Locked="false" Priority="40" Name="Grid Table Light" />
<w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light" />
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2" />
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3" />
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark" />
<w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful" />
<w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful" />
<w:LsdException Locked="false" Priority="46"
Name="Grid Table 1 Light Accent 1" />
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 1" />
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 1" />
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 1" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 1" />
<w:LsdException Locked="false" Priority="51"

<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 6" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 6" />
<w:LsdException Locked="false" Priority="51"
Name="Grid Table 6 Colorful Accent 6" />
<w:LsdException Locked="false" Priority="52"
Name="Grid Table 7 Colorful Accent 6" />
<w:LsdException Locked="false" Priority="46" Name="List Table 1 Light" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark" />
<w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful" />
<w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 1" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 1" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 1" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 1" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 1" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 1" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 1" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 2" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 2" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 2" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 2" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 2" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 2" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 2" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 3" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 3" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 3" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 3" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 3" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 3" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 3" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 4" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 4" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 4" />

```

<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 4" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 4" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 4" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 4" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 5" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 5" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 5" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 5" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 5" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 5" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 5" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 6" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 6" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 6" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 6" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 6" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 6" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Mention" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Smart Hyperlink" />
</w:LatentStyles>
</xml><![endif]-> <!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin:0cm;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:Calibri;

```

```

mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-ansi-language:EN-GB;}
</style>
<![endif]--> <!--StartFragment-->
<p class="Pa4"><span style="font-size: 10pt;">

```

The Xray generator is the most important part of the system. In many cases, it is also seen as the most unreliable component – and an understanding of the failure mechanisms makes the reason for this clear. The Cheyney development team has more than 30 years of experience operating and studying Xray systems under continuous operating conditions.

```
<o:p></o:p></span></p>
```

```
<p class="Default">The Cheyney XG series represent a paradigm shift towards achieving maximum reliability from the generator. Important factors in the design of a generator include accurate control of the cooling system and oil temperature, precise monitoring of arc events and open loop conditions, and detailed attention to high frequency power circuitry. Furthermore, it is important to have an accurate and continuous record of the generator's operating parameters. All of these features have been incorporated into the new XG series generator range. The units feature low voltage supply, integrated cooling, shielding to conformance with 21CFR 1020.40 and a choice of beryllium window or glass inserts. For higher power requirements, refer to XH series recirculating oil Xray generator range.<span style="font-size: 10pt;"><i> </i></span><o:p></o:p></p>
```

```
<p class="MsoNormal"><span lang="EN-GB" style="font-size: 10pt;">The XG range includes a unique facility for continuously monitoring a series of critical parameters, such as arc events, fault conditions and cooling system performance. In particular, the temperature of the oil in the monoblock is monitored every one minute for the lifetime of the generator, and stored in non-volatile memory. As a result, it is possible to reliably and accurately diagnose when a generator has been operated outside safe operating conditions, and to take corrective action. <!--[if gte mso
```

```
9]><xml>
```

```
<o:OfficeDocumentSettings>
```

```
<o:AllowPNG />
```

```
<o:PixelsPerInch>96</o:PixelsPerInch>
```

```
</o:OfficeDocumentSettings>
```

```
</xml><![endif]--> <!--[if gte mso 9]><xml>
```

```
<w:WordDocument>
```

```
<w:View>Normal</w:View>
```

```
<w:Zoom>0</w:Zoom>
<w:TrackMoves />
<w:TrackFormatting />
<w:PunctuationKerning />
<w:ValidateAgainstSchemas />
<w:SaveIfXMLInvalid>>false</w:SaveIfXMLInvalid>
<w:IgnoreMixedContent>>false</w:IgnoreMixedContent>
<w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF />
<w:LidThemeOther>EN-GB</w:LidThemeOther>
<w:LidThemeAsian>JA</w:LidThemeAsian>
<w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
<w:Compatibility>
<w:BreakWrappedTables />
<w:SnapToGridInCell />
<w:WrapTextWithPunct />
<w:UseAsianBreakRules />
<w:DontGrowAutofit />
<w:SplitPgBreakAndParaMark />
<w:EnableOpenTypeKerning />
<w:DontFlipMirrorIndents />
<w:OverrideTableStyleHps />
</w:Compatibility>
<m:mathPr>
<m:mathFont m:val="Cambria Math" />
<m:brkBin m:val="before" />
<m:brkBinSub m:val="&#45;" />
<m:smallFrac m:val="off" />
<m:dispDef />
<m:lMargin m:val="0" />
<m:rMargin m:val="0" />
<m:defJc m:val="centerGroup" />
<m:wrapIndent m:val="1440" />
<m:intLim m:val="subSup" />
<m:naryLim m:val="undOvr" />
</m:mathPr></w:WordDocument>
</xml><![endif]--><!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false"
DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="382">
<w:LsdException Locked="false" Priority="0" QFormat="true" Name="Normal" />
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 1" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 2" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 3" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
```


UnhideWhenUsed="true" QFormat="true" Name="heading 4" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 5" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 6" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 7" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 8" />
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="heading 9" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index 9" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 1" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 2" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 3" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 4" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 5" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 6" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 7" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 8" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" Name="toc 9" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Normal Indent" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footnote text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="header" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footer" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="index heading" />
<w:LsdException Locked="false" Priority="35" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="caption" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="table of figures" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="envelope address" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="envelope return" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="footnote reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="line number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="page number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="endnote reference" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="endnote text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="table of authorities" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="macro" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="toa heading" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"

Name="List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Bullet 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Number 5" />
<w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Closing" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Signature" />
<w:LsdException Locked="false" Priority="1" SemiHidden="true"
UnhideWhenUsed="true" Name="Default Paragraph Font" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Body Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Body Text Indent" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Continue" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Continue 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Continue 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Continue 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="List Continue 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Message Header" />
<w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Salutation" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Date" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Note Heading" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Block Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hyperlink" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="FollowedHyperlink" />
<w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong" />
<w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Document Map" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Plain Text" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="E-mail Signature" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Top of Form" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Bottom of Form" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal (Web)" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Acronym" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Address" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Cite" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Code" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Definition" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"

Name="HTML Keyboard" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Preformatted" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Sample" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Typewriter" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="HTML Variable" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Normal Table" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="annotation subject" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="No List" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Outline List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Simple 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Classic 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Colorful 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 3" />

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Columns 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Grid 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table List 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table 3D effects 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Contemporary" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Elegant" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"

Name="Table Professional" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Subtle 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Subtle 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Web 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Balloon Text" />
<w:LsdException Locked="false" Priority="39" Name="Table Grid" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Table Theme" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 1" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 2" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 3" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 4" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 5" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 7" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 8" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Note Level 9" />
<w:LsdException Locked="false" SemiHidden="true" Name="Placeholder Text" />
<w:LsdException Locked="false" Priority="1" QFormat="true" Name="No Spacing" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading" />
<w:LsdException Locked="false" Priority="61" Name="Light List" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3" />
<w:LsdException Locked="false" Priority="70" Name="Dark List" />

<w:LsdException Locked="false" Priority="71" Name="Colorful Shading" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 1" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 1" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 1" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 1" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 1" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 1" />
<w:LsdException Locked="false" SemiHidden="true" Name="Revision" />
<w:LsdException Locked="false" Priority="34" QFormat="true"
Name="List Paragraph" />
<w:LsdException Locked="false" Priority="29" QFormat="true" Name="Quote" />
<w:LsdException Locked="false" Priority="30" QFormat="true"
Name="Intense Quote" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 1" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 1" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 1" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 1" />
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 1" />
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 1" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 1" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 1" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 2" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 2" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 2" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 2" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 2" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 2" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 2" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 2" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 2" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 2" />
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 2" />
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 2" />
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 2" />
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 2" />
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 3" />
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 3" />
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 3" />
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 3" />
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 3" />
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 3" />
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 3" />
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 3" />
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 3" />
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 3" />

Name="Subtle Emphasis" />
<w:LsdException Locked="false" Priority="21" QFormat="true"
Name="Intense Emphasis" />
<w:LsdException Locked="false" Priority="31" QFormat="true"
Name="Subtle Reference" />
<w:LsdException Locked="false" Priority="32" QFormat="true"
Name="Intense Reference" />
<w:LsdException Locked="false" Priority="33" QFormat="true" Name="Book Title" />
<w:LsdException Locked="false" Priority="37" SemiHidden="true"
UnhideWhenUsed="true" Name="Bibliography" />
<w:LsdException Locked="false" Priority="39" SemiHidden="true"
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />
<w:LsdException Locked="false" Priority="41" Name="Plain Table 1" />
<w:LsdException Locked="false" Priority="42" Name="Plain Table 2" />
<w:LsdException Locked="false" Priority="43" Name="Plain Table 3" />
<w:LsdException Locked="false" Priority="44" Name="Plain Table 4" />
<w:LsdException Locked="false" Priority="45" Name="Plain Table 5" />
<w:LsdException Locked="false" Priority="40" Name="Grid Table Light" />
<w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light" />
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2" />
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3" />
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark" />
<w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful" />
<w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful" />
<w:LsdException Locked="false" Priority="46"
Name="Grid Table 1 Light Accent 1" />
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 1" />
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 1" />
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 1" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 1" />
<w:LsdException Locked="false" Priority="51"
Name="Grid Table 6 Colorful Accent 1" />
<w:LsdException Locked="false" Priority="52"
Name="Grid Table 7 Colorful Accent 1" />
<w:LsdException Locked="false" Priority="46"
Name="Grid Table 1 Light Accent 2" />
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 2" />
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 2" />
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 2" />
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 2" />
<w:LsdException Locked="false" Priority="51"
Name="Grid Table 6 Colorful Accent 2" />
<w:LsdException Locked="false" Priority="52"
Name="Grid Table 7 Colorful Accent 2" />
<w:LsdException Locked="false" Priority="46"
Name="Grid Table 1 Light Accent 3" />


```

Name="List Table 7 Colorful Accent 5" />
<w:LsdException Locked="false" Priority="46"
Name="List Table 1 Light Accent 6" />
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 6" />
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 6" />
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 6" />
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 6" />
<w:LsdException Locked="false" Priority="51"
Name="List Table 6 Colorful Accent 6" />
<w:LsdException Locked="false" Priority="52"
Name="List Table 7 Colorful Accent 6" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Mention" />
<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
Name="Smart Hyperlink" />
</w:LatentStyles>
</xml><![endif]--> <!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin:0cm;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:Calibri;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-ansi-language:EN-GB;}
</style>
<![endif]--> <!--StartFragment--> </span></p>
<p class="Default" style="line-height:14.05pt"><span style="font-size: 14pt;">XG SERIES
SPECIFICATIONS <o:p></o:p></span></p>
<ul>
<li><b><span style="font-size: 10pt;">&nbsp;High reliability design </span></b><span
style="font-size: 10pt;"><o:p></o:p></span>
<ul>
<li><span class="A5">&nbsp;</span><span style="font-size: 10pt;">MTBF is highest in
industry <o:p></o:p></span></li>

```

```
</ul>
</li>
<li><b><span style="font-size: 10pt;">Designed for continuous operation </span></b><span
style="font-size: 10pt;"><o:p></o:p></span>
<ul>
  <li><span style="font-size: 10pt;">Low skin-effect design maintains efficiency </span></li>
</ul>
</li>
<li><b><span style="font-size: 10pt;">Continuous temperature monitoring </span></b>
<ul>
  <li><span style="font-size: 10pt;">Oil temp stored every minute for lifetime of generator
</span></li>
  <li><span style="font-size: 10pt;">Arc monitoring detection</span></li>
</ul>
</li>
<li><b><span style="font-size: 10pt;">Integral system health monitor </span></b><span
style="font-size: 10pt;"><o:p></o:p></span></li>
  <li><b><span lang="EN-GB" style="font-size: 10pt;">Low voltage power
requirements</span></b><span lang="EN-GB"><o:p></o:p></span></li>
</ul>
<p class="MsoNormal"><span lang="EN-GB" style="font-size: 10pt;">
<!--EndFragment-->
```

```
</span><span lang="EN-GB"><o:p></o:p></span></p>
<!--EndFragment-->
```